

TABLE OF CONTENTS

EXECUTIVE SUMMARY

ES 1. Introduction.....	ES-1
ES 1.1. GSP Revisions	ES-2
ES 2. Summary of Plan Area.....	ES-3
ES 2.1. Basin Setting and Hydrogeologic Conceptual Model	ES-3
ES 2.2. Water Budget	ES-4
ES 3. Sustainable Management Criteria.....	ES-5
ES 3.1. Chronic Lowering of Groundwater Elevations	ES-9
ES 3.2. Reduction of Groundwater Storage	ES-9
ES 3.3. Subsidence	ES-9
ES 3.4. Degraded Water Quality	ES-9
ES 3.5. Seawater Intrusion	ES-10
ES 3.6. Depletion of Interconnected Surface Waters	ES-10
ES 3.7. Monitoring Network.....	ES-10
ES 4. Overview of Projects and Management Actions.....	ES-12
ES 4.1. PMAs Planned for Implementation.....	ES-12
ES 4.1.1. Multi-Benefit Groundwater Recharge Programs	ES-12
ES 4.1.2. Grower Education and Outreach	ES-12
ES 4.1.3. Deer Creek Instream Flow Enhancements and Conjunctive Use Management Projects.....	ES-12
ES 4.1.4. Lower Deer Creek Improvements and Habitat Restoration Phases 1 and 3.....	ES-13
ES 4.1.5. Demand Management	ES-13
ES 4.1.6. Well Mitigation Program.....	ES-13
ES 4.2. Proposed Potential PMAs.....	ES-13
ES 4.2.1 Direct Groundwater Recharge	ES-13
ES 4.2.2. Invasive Plant Removal.....	ES-13
ES 4.2.3. Surface Water Supply Augmentation & In-Lieu Groundwater Recharge.....	ES-13
ES 4.2.4. Education/Outreach, In-Lieu Groundwater Recharge	ES-14
ES 4.2.5. In-Lieu Groundwater Recharge	ES-14
ES 4.2.6. Monitoring to Fill Data Gaps & Programs to Support Wells	ES-14
ES 5. PLAN IMPLEMENTATION	ES-14
ES 6. Overview of Governance.....	ES-17

Chapter 1. Introduction

1. INTRODUCTION	1-1
1.1. Purpose of Groundwater Sustainability Plan	1-1
1.1.1. Justification for Management Area	1-3
1.2. Sustainability Goal.....	1-5
1.3. Agency Information	1-6
1.3.1. Organization and Management Structure of the GSA	1-7
1.3.2. Legal Authority of the GSA.....	1-8
1.3.3. Estimated Cost of Implementing the GSP	1-10
1.4. GSP Organization	1-10

Chapter 2A. Plan Area

2. SUBBASIN PLAN AREA AND BASIN SETTING (REG. § 354.8)	2A-1
2.1. Description of Plan Area	2A-1
2.1.1. Summary of Jurisdictional Areas and Other Features	2A-1
2.1.2. Water Resource Monitoring Entities, Management Programs, and Data Sources	2A-13
2.1.3. Land Use Elements or Topic Categories of Applicable General Plans	2A-27
2.1.4. Notice and Communication	2A-34
2.1.5. References	2A-52

Chapter 2B. Basin Setting

2. SUBBASIN PLAN AREA AND BASIN SETTING (REG. § 354.8)	2B-1
2.1. Description of Plan Area	2B-1
2.2. Basin Setting	2B-1
2.2.1. Hydrogeologic Conceptual Model	2B-1
2.2.2. Current and Historical Groundwater Conditions	2B-45
2.2.3. Basin Setting Summary	2B-85
2.3. References	2B-87

Chapter 2C. Water Budget

2. Subbasin Plan Area and Basin Setting (Reg. § 354.8).....	2C-1
2.1. Description of Plan Area	2C-1
2.2. Basin Setting.....	2C-1
2.3. Water Budget (Reg. § 354.18).....	2C-1
2.3.1. Water Budget Conceptual Model	2C-2

2.3.2. Water Budget Analysis Periods.....	2C-6
2.3.3. Surface Water System (SWS) Water Budget Description	2C-8
2.3.4. Groundwater System Water Budget Description	2C-15
2.3.5. Historical Water Budget.....	2C-18
2.3.6. Current Water Budget.....	2C-31
2.3.7. Projected Water Budgets.....	2C-34
2.3.8. Projected (Future Land Use) Water Budget Summary	2C-43
2.3.9. Projected Water Budgets with Climate Change	2C-55
2.3.10. Projected Groundwater Storage Change by Aquifer	2C-57
2.3.11. Uncertainty in Water Budget Estimates	2C-59
2.3.12. Estimate of Sustainable Yield.....	2C-62
2.4. References	2C-63

Chapter 3. Sustainable Management Criteria

3. SUSTAINABLE MANAGEMENT CRITERIA	3-1
3.1. Sustainability Goal (Reg §354.24)	3-6
3.1.1. Goal Description.....	3-6
3.1.2. Description of Measures	3-7
3.1.3. Description of Measures and Explanation of How the Goal Will Be Achieved in 20 Years	3-7
3.2. Measurable Objectives and Interim Milestones (Reg. § 354.30).....	3-7
3.2.1. Measurable Objectives for Chronic Lowering of Water Levels.....	3-8
3.2.2. Measurable Objectives for Reduction in Groundwater Storage	3-13
3.2.3. Measurable Objectives for Subsidence.....	3-14
3.2.4. Measurable Objectives for Degraded Water Quality	3-16
3.2.5. Measurable Objectives for Interconnected Surface Waters	3-18
3.3. Minimum Thresholds (Reg. § 354.28).....	3-20
3.3.1. Minimum Thresholds for Chronic Lowering of Groundwater Elevations	3-21
3.3.2. Minimum Thresholds for Reduction in Groundwater Storage	3-30
3.3.3. Minimum Thresholds for Subsidence	3-32
3.3.4. Minimum Thresholds for Groundwater Quality	3-34
3.3.5. Minimum Thresholds for Interconnected Surface Water Depletions	3-35
3.3.6. Relationship Between the Established Minimum Threshold and Sustainability Indicator(s)....	3-36
3.3.7. Minimum Thresholds Impacts to Adjacent Basins.....	3-37
3.3.8. Minimum Thresholds Impacts on Beneficial Users.....	3-37

3.4. Undesirable Results (Reg. § 354.26)	3-38
3.4.1. Groundwater Elevation.....	3-39
3.4.2. Subsidence	3-40
3.4.3. Groundwater Quality	3-40
3.4.4. Interconnected Surface Waters.....	3-40
3.4.5. Potential Effects on the Beneficial Users of Groundwater	3-40
3.5. Management Areas.....	3-41
3.6. Monitoring Network	3-41
3.6.1. Description of Monitoring Network (Reg. § 354.34)	3-41
3.6.2. Groundwater Elevation Monitoring Network.....	3-44
3.6.3. Groundwater Storage Monitoring Network	3-47
3.6.4. Subsidence Monitoring Network	3-49
3.6.5. Groundwater Quality Monitoring Network	3-51
3.6.6. Interconnected Surface Water Monitoring Network	3-53
3.7. Description of Monitoring Protocols (Reg. § 354.34)	3-55
3.7.1. Protocols for Monitoring Sites	3-55
3.7.2. Groundwater Level Elevation.....	3-55
3.7.3. Groundwater Storage Measurements	3-57
3.7.4. Groundwater Quality Measurements.....	3-57
3.7.5. Subsidence Measurements.....	3-59
3.7.6. Interconnected Surface Water Measurements	3-59
3.7.7. Representative Monitoring (Reg. § 354.36).....	3-59
3.7.8. Assessment and Improvement of Monitoring Network ((Reg. § 354.38).....	3-59

Chapter 4. Projects and Management Actions

4. SUSTAINABLE GROUNDWATER MANAGEMENT: PROJECTS AND MANAGEMENT ACTIONS (§ 354.44).....	4-1
4.1. Introduction	4-1
4.1.1. Development Approach	4-1
4.2. Summary of Projects and Management Actions	4-5
4.2.1. Overview of All Proposed Projects and Management Actions	4-5
4.2.2. Sustainability Indicators Benefitted by Projects and Management Actions.....	4-16
4.2.3. Maintaining Sustainability	4-17

4.3. Overview of Concepts Explored	4-17
4.3.1. Well Permit Revision (LSCE)	4-17
4.3.2. Demand Management (LSCE/DE)	4-17
4.3.3. Multi-Benefit Recharge Project (DE).....	4-18
4.3.4. Flood Managed Aquifer Recharge (Flood-MAR)	4-19
4.3.5. Rainfall Managed Aquifer Recharge (Rain-MAR) to Capture Runoff from Fields	4-19
4.3.6. Other Groundwater Management Strategies (Projects and Management Actions and Cost Feasibility) (LSCE/DE)	4-20
4.3.7. Ongoing Evaluation of Groundwater Management Efforts (LSCE)	4-20
4.4. Projects and Management Actions Developed for Implementation	4-20
4.4.1. Multi-Benefit Recharge Project.....	4-20
4.4.2. Grower Education Relating to On-Farm Practices for Sustainable Groundwater Management.....	4-26
4.4.3. Deer Creek Instream Flow Enhancements and Conjunctive Use Management Projects	4-32
4.4.4. Lower Deer Creek Improvements and Habitat Restoration Phases 1 and 3	4-32
4.4.7. County Well Permitting Ordinance	4-36
4.5. Portfolio of Other Potential Projects and Management Actions	4-37
4.5.1. Potential Projects	4-38
4.5.2. Potential Management Actions	4-52
4.5.3. Potential Other Activities	4-61
4.6. Project Financing.....	4-71
4.7. GSA Coordination.....	4-71
4.7.1. Goals, Policies, and Ordinances	4-71
4.7.2. Well Owner Outreach and Education	4-71
4.7.3. Participation in IRWMPs/GMPs/SNMPs/etc.....	4-72
4.8. Subbasin Water Available for Projects.....	4-72
4.8.1. Mill Creek	4-72
4.8.2. Deer Creek	4-74
4.8.3. Water Right Permits.....	4-74
4.8.4. Potential Water Available from Mill Creek for Groundwater Recharge.....	4-75
4.8.5. Potential Water Available from Deer Creek for Groundwater Recharge	4-79

Chapter 5. Plan Implementation

5. PLAN IMPLEMENTATION (REG. § 354.6).....	5-1
5.1. Estimate of GSP Implementation Costs	5-1
5.1.1. GSA Administration, Management, Operations, and Other Costs	5-1
5.1.2. Monitoring	5-2
5.1.3. GSP Implementation and Updates.....	5-3
5.1.4. Project and Management Actions Development and Implementation Costs	5-4
5.1.5. Total Costs.....	5-4
5.1.6. Funding Sources	5-6
5.2. Schedule for Implementation	5-6
5.3. Annual Reporting	5-7
5.3.1. General Information (§356.4(a)).....	5-7
5.3.2. Subbasin Conditions (§356.4(b)).....	5-7
5.3.3. Plan Implementation Progress (§356.4(c))	5-8
5.4. Periodic Evaluations and Reporting	5-8
5.4.1. Sustainability Evaluation (§356.4(a) - §356.4(b)).....	5-8
5.4.2. Monitoring Network (§356.4(e)).....	5-9
5.4.3. New Information (§356.4(f))	5-9
5.4.4. GSA Actions (§356.4(g))	5-9
5.4.5. Plan Amendments, Coordination, and Other Information (§356.4(i) - (§356.4(k))).....	5-9

LIST OF TABLES

Table ES-1 Summary of Undesirable Results Applicable to the Plan Area

Table ES-2 Summary of MT, MO, and Undesirable Results

Table ES-3 Estimated GSP Implementation Costs through 2042

Figure ES-3: GSP Implementation Schedule

Table 1-1 Sustainability Goal Development and Associated GSP Sections

Table 1-2 GSA Formation Timeline

Table 1-3 Cross Reference of GSP Regulations and Associated GSP Sections

Table 2-1 Los Molinos Subbasin Land Use (Acres)

Table 2-2 Los Molinos Subbasin Agricultural Land Use (Acres)

Table 2-3 Well Density

Table 2-4 Surface Water Monitoring Stations

Table 2-5 Tehama County General Plan Relevant Goals, Policies, and Implementation Measures

Table 2-6	Beneficial Uses and Users of Groundwater
Table 2-7	Opportunities for Public Engagement
Table 2-8	Lithologic Information Including Age, Formation, Max Thickness, Water Bearing Character
Table 2-9	Sacramento Valley Water Year Types since 1980
Table 2-10.	Water Budget Components by Accounting Center and Associated GSP Regulations
Table 2-11.	Sacramento Valley Water Year Type Classification during the Historical Water Budget Period (1990-2018)
Table 2-12.	Sacramento Valley Water Year Type Classification Over the Projected Water Budget Period (2022-2072)
Table 2-13.	Land Surface System Water Budget Components
Table 2-14.	Canal System Water Budget Components
Table 2-15.	Rivers, Streams, and Small Watersheds System Water Budget Components
Table 2-16.	Subbasin Boundary Surface Water System Water Budget Components
Table 2-17.	Subbasin Boundary Groundwater System Water Budget Components
Table 2-18.	Los Molinos Subbasin Land Use Areas, by Water Use Sector
Table 2-19.	Los Molinos Subbasin Agricultural Land Use Areas (acres)
Table 2-20.	Los Molinos Subbasin Surface Water System Historical Water Budget, 1990-2018 (acre-feet)
Table 2-21.	Los Molinos Subbasin Historical Groundwater Budget Summary (acre-feet)
Table 2-22.	Comparison of Recent SWS Water Budget Periods (acre-feet)
Table 2-23.	Comparison of Recent GWS Water Budget Periods (acre-feet)
Table 2-24.	Los Molinos Subbasin Surface Water System Projected (Current Land Use) Water Budget, 2022-2072 (acre-feet)
Table 2-25.	Los Molinos Subbasin Projected (Current Land Use) Water Budget Summary (acre-feet)
Table 2-26.	Los Molinos Subbasin Future Land Use Areas, by Water Use Sector (acres)
Table 2-27.	Los Molinos Subbasin Projected Agricultural Land Use Areas (acres)
Table 2-28.	Los Molinos Subbasin Surface Water System Projected (Future Land Use) Water Budget, 2022-2072 (acre-feet)
Table 2-29.	Los Molinos Subbasin Projected (Future Land Use) Water Budget Summary (acre-feet)
Table 2-30.	Comparison of Annual Projected (Current Land Use) GWS Water Budgets with Climate Change Adjustments (acre-feet)
Table 2-31.	Comparison of Annual Projected (Future Land Use) GWS Water Budgets with Climate Change Adjustments (acre-feet)

- Table 2-32. Comparison of Projected (Current Land Use) Aquifer-Specific GWS Water Budgets with Climate Change Adjustments
- Table 2-33. Comparison of Projected (Future Land Use) Aquifer-Specific GWS Water Budgets with Climate Change Adjustments
- Table 2-34. Estimated Uncertainty of Major Water Budget Components
- Table 3-1. Summary of Undesirable Results Applicable to the Plan Area
- Table 3-2. Measurable Objectives and Interim Milestones for the Chronic Lowering of Water Elevations – Upper Aquifer
- Table 3-3. Measurable Objectives and Interim Milestones for the Chronic Lowering of Water Elevations – Lower Aquifer
- Table 3-4. Measurable Objectives and Interim Milestones for Subsidence
- Table 3-5. Measurable Objectives and Interim Milestone for Groundwater Quality
- Table 3-6. Interim Measurable Objectives and Interim Milestones for Interconnected Surface Water
- Table 3-7. The Number and Percentage of Wells Impacted at the Proposed MT
- Table 3-8. Minimum Thresholds and Interim Milestones for the Chronic Lowering of Water Elevations – Upper Aquifer
- Table 3-9. Minimum Thresholds and Interim Milestones for the Chronic Lowering of Water Elevations – Lower Aquifer
- Table 3-10. Minimum Thresholds and Interim Milestones for Subsidence
- Table 3-11. Minimum Thresholds Measurable Objectives and Interim Milestones for Groundwater Quality
- Table 3-12. Interim Minimum Thresholds and Interim Milestones for Interconnected Surface Water Depletions
- Table 3-13. Summary of Minimum Thresholds, Measurable Objectives, and Undesirable Results
- Table 3-14. Proposed Monitoring Network
- Table 3-15. Groundwater Level Monitoring Well Network – Upper Aquifer
- Table 3-16. Groundwater Level Monitoring Well Network – Lower Aquifer
- Table 3-17. Summary of Rationale for Selection for Wells Using Groundwater Levels
- Table 3-18. Groundwater Storage Monitoring Network – Upper Aquifer
- Table 3-19. Groundwater Storage Monitoring Network – Lower Aquifer
- Table 3-20. Summary of Rationale for Selection for Wells Used for Storage
- Table 3-21. Land Subsidence Monitoring Network
- Table 3-22. Summary of Rationale for Selection of Subsidence Monitoring Sites
- Table 3-23. Groundwater Quality Monitoring Network

Table 3-24	Summary of Rationale for Selection for Wells Used Groundwater Quality
Table 3-25	Interconnected Surface Water Monitoring Network
Table 3-26	Summary of Rationale for Selection for Wells for Interconnected Surface Water
Table 3-27	Summary of Groundwater Quality Monitoring Constituents and Measurement Frequency for Representative Monitoring Test
Table 4 1.	Summary of Key Groundwater System Water Budget Parameters Influencing Formulation of Projects and Management Actions in the Los Molinos Subbasin (average annual volumes in acre-feet per year, rounded)
Table 4 2.	Summary of Projects and Management Actions Proposed for the Los Molinos Subbasin
Table 4 3.	Benefits and Costs of Projects and Management Actions Developed for Implementation
Table 4 4.	Sustainability Indicators Expected to Benefit from Projects and Management Action Types Proposed for the Los Molinos Subbasin
Table 4 5.	Expected Annual Implementation Timeline for the Los Molinos Subbasin Multi-benefit Groundwater Recharge Project
Table 4 6.	Estimated Average Recharge Volume and Temporary Wetland Habitat Formation for the Multi-benefit Groundwater Recharge Project
Table 4 7.	Estimated capital cost and average annual operating cost per site for the multi-benefit groundwater recharge project
Table 4 8.	Sustainability Indicators Benefitted by On-Farm Management Actions
Table 4 9.	Grower Education Program Implementation Schedule
Table 4 10.	List of Potential Projects Proposed for the Los Molinos Subbasin
Table 4 11.	Direct Groundwater Recharge of Stormwater and Flood Water: Summary (23 CCR §354.44(b))
Table 4 12.	Stormwater Management Improvements: Summary (23 CCR §354.44(b))
Table 4 13.	Levee Setback and Stream Channel Restoration: Summary (23 CCR §354.44(b))
Table 4 14.	Rain-MAR: Summary (23 CCR §354.44(b))
Table 4 15.	Recycled Water Projects: Summary (23 CCR §354.44(b))
Table 4 16.	Invasive Plant Removal: Summary (23 CCR §354.44(b))
Table 4 17.	Inter-Basin Surface Water Transfers or Exchanges: Summary (23 CCR §354.44(b))
Table 4 18.	Water Supply Reservoir Construction, Renovation, or Conversion: Summary (23 CCR §354.44(b))
Table 4 19.	Enhanced Boundary Flow Measurement: Summary (23 CCR §354.44(b))
Table 4 20.	Well Metering: Summary (23 CCR §354.44(b)).
Table 4 21.	List of Potential Management Actions Proposed for the Los Molinos Subbasin
Table 4 22.	Assistance and Incentives for On-Farm Irrigation Infrastructure Improvements:

	Summary (23 CCR §354.44(b)).
Table 4 23	Incentives for Residential and Municipal Water Use Efficiency Improvements: Summary (23 CCR §354.44(b)).
Table 4 24	Demand Management: Summary (23 CCR §354.44(b)).
Table 4 25	Incentives for Use of Available Surface Water and Recycled Water: Summary (23 CCR §354.44(b)).
Table 4 26	Water Market for Surface Water and Groundwater Exchange: Summary (23 CCR §354.44(b)).
Table 4 27	Tehama County Domestic Well Tracking and Outreach Program: Summary (23 CCR §354.44(b)).
Table 4 28	Well Deepening or Replacement Program: Summary (23 CCR §354.44(b)).
Table 4 29	Review of County Well Permitting Ordinances: Summary (23 CCR §354.44(b)).
Table 4 30	List of Potential Other Activities Proposed for the Los Molinos Subbasin.
Table 4 31	Coordination and Development of Public Data Portals: Summary (23 CCR §354.44(b)).
Table 4 32	Additional Studies of GDEs and Groundwater - Surface Water Interactions: Summary (23 CCR §354.44(b)).
Table 4 33	Expanded Subbasin Monitoring and Aquifer Testing: Summary (23 CCR §354.44(b)).
Table 4 34	Install Additional Agroclimate Stations: Summary (23 CCR §354.44(b)).
Table 4 35	Maintain and Expand Groundwater Level Monitoring Network: Summary (23 CCR §354.44(b)).
Table 4 36	One-Time Groundwater Quality Snapshot and Evaluation: Summary (23 CCR §354.44(b)).
Table 4 37	Tehama County Well Inventory and Registration Program: Summary (23 CCR §354.44(b)).
Table 4 38.	Water Year Classification Defined in Sacramento Valley Water Year Hydrologic Classification.
Table 4 39	Potential Diversion Under Streamlined Permit for all Creeks in Tehama County by Water Year Classification
Table 5-1	Estimated GSA Administration, Management, and Operations Costs
Table 5-2	Estimated Annual Monitoring Costs
Table 5-3	Estimated Plan Update Costs
Table 5-4	Estimated GSP Implementation Costs through 2042

LIST OF FIGURES

- Figure ES-1 Los Molinos Subbasin Location Map
- Figure ES-2 Map of all Sustainability Indicator Wells
- Figure 1-1 Tehama County FCWCD GSP Subbasins
- Figure 1-2 Los Molinos Subbasin Vicinity Map
- Figure 2-1 Los Molinos Subbasin and Surrounding Groundwater Subbasins
- Figure 2-2 Land Status in the Subbasin
- Figure 2-3 2018 Land Use
- Figure 2-4 Los Molinos Subbasin Land Use
- Figure 2-5 Los Molinos Subbasin Agricultural Land Use
- Figure 2-6 Domestic Well Density by Section
- Figure 2-7 Production Well Density by Section
- Figure 2-8 Public Supply Well Density by Section
- Figure 2-9 Subsidence Monitoring Stations
- Figure 2-10 Surface Water Monitoring Stations
- Figure 2-11 Economically Distressed Areas
- Figure 2-12 Water Sources
- Figure 2-13 Public Water Districts
- Figure 2-14 Lateral Subbasin Boundary
- Figure 2-15 Contours of Equal Groundwater Elevation, Base of Freshwater
- Figure 2-16 Contours of Equal Elevation, Base of Post-Eocene Deposits
- Figure 2-17 Map of Topographic Slope
- Figure 2-18 Map of Ground Surface Elevation
- Figure 2-19 Map of Geologic Provinces
- Figure 2-20 Geologic Map with Faults
- Figure 2-20B Geologic Map with Faults
- Figure 2-21 Map of Cross Section Locations
- Figure 2-21B Map of Cross Section Locations
- Figure 2-22 Cross Section D-D'
- Figure 2-23 Cross Section E-E'
- Figure 2-24 Cross Section F-F'
- Figure 2-25 Cross Section G-G'
- Figure 2-26 DWR Cross Section b-b'

- Figure 2-27 DWR Cross Section c-c'
- Figure 2-26B Description if Map Units for DWR Cross Section b-b' and c-c'
- Figure 2-27B Description if Map Units for DWR Cross Section b-b' and c-c'
- Figure 2-28 Soils – Type by Soil Series
- Figure 2-28B Soils – Type by Soils Series
- Figure 2-29 Soils – Texture
- Figure 2-30 Soils – Saturated Hydraulic Conductivity
- Figure 2-31 Soils – Drainage Class
- Figure 2-32 Soils – Electrical Conductivity
- Figure 2-33 Soils – pH
- Figure 2-34 Map of Surface Water Features
- Figure 2-35 SAGBI Groundwater Recharge Rating
- Figure 2-36 Map of Discharge Areas – Wetlands, Springs, Seeps
- Figure 2-37 Panel Map of Selected Groundwater Elevation Hydrographs
- Figure 2-38 Annual Precipitation and Cumulative Departure at Orland
- Figure 2-39 Contours of Equal Groundwater Elevation, Upper Aquifer – Seasonal High of 2019
- Figure 2-40 Contours of Equal Groundwater Elevation, Upper Aquifer – Seasonal Low of 2019
- Figure 2-41 Contours of Equal Groundwater Elevation, Upper Aquifer – Seasonal High of 2017
- Figure 2-42 Contours of Equal Groundwater Elevation, Upper Aquifer – Seasonal Low of 2017
- Figure 2-43 Contours of Equal Groundwater Elevation, Upper Aquifer – Seasonal High of 2013
- Figure 2-44 Contours of Equal Groundwater Elevation, Upper Aquifer – Seasonal Low of 2013
- Figure 2-45 Contours of Equal Groundwater Elevation, Upper Aquifer – Seasonal High of 2015
- Figure 2-46 Contours of Equal Groundwater Elevation, Upper Aquifer – Seasonal Low of 2015
- Figure 2-47 Contours of Equal Groundwater Elevation, Lower Aquifer – Seasonal High of 2019
- Figure 2-48 Contours of Equal Groundwater Elevation, Lower Aquifer – Seasonal Low of 2019
- Figure 2-49 Contours of Equal Groundwater Elevation, Lower Aquifer – Seasonal High of 2017
- Figure 2-50 Contours of Equal Groundwater Elevation, Lower Aquifer – Seasonal Low of 2017
- Figure 2-51 Contours of Equal Groundwater Elevation, Lower Aquifer – Seasonal High of 2013
- Figure 2-52 Contours of Equal Groundwater Elevation, Lower Aquifer – Seasonal Low of 2013
- Figure 2-53 Contours of Equal Groundwater Elevation, Lower Aquifer – Seasonal High of 2015
- Figure 2-54 Contours of Equal Groundwater Elevation, Lower Aquifer – Seasonal Low of 2015
- Figure 2-55 Change of Groundwater Elevation from Spring 1990 to Spring 2018
- Figure 2-56 Maximum Historical TDS Concentration by Well

-
- Figure 2-57 Maximum Historical Nitrate Concentration by Well
- Figure 2-58 Maximum Historical Arsenic Concentration by Well
- Figure 2-59 Map of Oil and Gas Fields and Wells
- Figure 2-60 Subsidence Measurements Between 2008 and 2017
- Figure 2-61 DWR InSAR Subsidence Map
- Figure 2-62 UNAVCO PBO GPS Measurements
- Figure 2-63 Surface Water and Shallow Groundwater Monitoring Stations
- Figure 2-64 GDEs and Available Near Surface Wells with Data
- Figure 2-65 Timeseries Graph of NDVI And NDMI of a GDE and Depth to Water at an Adjacent Well
- Figure 2-66 The Hydrologic Cycle (Source: DWR, 2016a)
- Figure 2-67 Water Budget Accounting Structure (Source: DWR, 2016a)
- Figure 2-68 Subbasin Water Budget Conceptual Model
- Figure 2-69 Los Molinos Subbasin Land Use Areas, by Water Use Sector
- Figure 2-70 Los Molinos Subbasin Agricultural Land Use Areas
- Figure 2-71 Los Molinos Subbasin Surface Water System Historical Water Budget, 1990-2018
- Figure 2-72 Diagram of the Los Molinos Subbasin Historical Average Annual Water Budget (1990-2018)
- Figure 2-73 Los Molinos Subbasin Historical Groundwater Budget Summary
- Figure 2-74 Los Molinos Subbasin Surface Water System Projected (Current Land Use) Water Budget, 2022-2072
- Figure 2-75 Diagram of the Los Molinos Subbasin Projected (Current Land Use) Average Annual Water Budget, 2022-2072
- Figure 2-76 Los Molinos Subbasin Projected (Current Land Use) Water Budget Summary
- Figure 2-77 Los Molinos Subbasin Future Land Use Areas, by Water Use Sector
- Figure 2-78 Los Molinos Subbasin Projected Agricultural Land Use Areas
- Figure 2-79 Los Molinos Subbasin Surface Water System Projected (Future Land Use) Water Budget, 2022-2072
- Figure 2-80 Diagram of the Los Molinos Subbasin Projected (Future Land Use) Average Annual Water Budget, 2022-2072
- Figure 2-81 Los Molinos Subbasin Projected (Future Land Use) Water Budget Summary
- Figure 3-1 Representative Monitoring Sites
- Figure 3-2 Groundwater Level Representative Monitoring Sites – Upper Aquifer
- Figure 3-3 Groundwater Level Representative Monitoring Sites – Lower Aquifer
- Figure 3-4 Subsidence Monitoring Network

- Figure 3-5 Groundwater Quality Monitoring Network – Upper Aquifer
- Figure 3-6 Interconnected Surface Water Monitoring
- Figure 3-7 Example Hydrograph with MO and MT
- Figure 3-8 Well Impact Analysis Methodology
- Figure 3-9 Example Hydrograph with Estimated Well Impact Analysis
- Figure 3-10 Predicted Impacted Wells and Minimum Thresholds
- Figure 3-11 Identification of Data Gaps (GDE)
- Figure 3-12 Identification of Data Gaps (Surface Water Features)
- Figure 4-1 Mill Creek Monthly Flow Volume by Water Year Classification.
- Figure 4-2 Deer Monthly Flow Volume by Water Year Classification
- Figure 4-3 Potential Diversion for Mill Creek in Example Wet Year: Winter 1998 under Streamlined Permit
- Figure 4-4 Potential Diversion for Mill Creek under Streamlined Permit by Water Year Classifcation
- Figure 4-5 Potential Diversion Volume for Mill Creek for Water Years 1948-2020
- Figure 4-6 Average Annual Potential Diversion for Mill Creek under Streamlined Permit with varying Recharge Capacity
- Figure 4-7 Potential Diversion for Deer Creek for Example Wet Year: Winter 1998 under Streamlined Permit
- Figure 4-8 Potential Diversion for Deer Creek under Streamlined Permit by Water Year Classifcation
- Figure 4-9 Potential Diversion Volume for Deer Creek for Water Years 1948-2020
- Figure 4-10 Average Annual Potential Diversion for Deer Creek under Streamlined Permit with varying Recharge Capacity
- Figure 4-11 Average Annual Potential Diversion for Mill and Deer creeks under Streamlined Permit with varying Recharge Capacity
- Figure 5-1 GSP Implementation Schedule

LIST OF APPENDICES

- Appendix 1-A Tehama County Flood Control and Water Conservation District Act of Formation
- Appendix 1-B GSA Formation Documents
- Appendix 1-C Glossary: SGMA Definitions
- Appendix 1-D Elements Guide
- Appendix 1-E DWR Determination Letter
- Appendix 2-A Domestic Well Inventory Analysis
- Appendix 2-B Communication and Engagement Plan
- Appendix 2-C Northern Sacramento Valley Inter-Basin Coordination Report
- Appendix 2-D GSA Outreach Events and Interested Parties List
- Appendix 2-E Comments on the Plan
- Appendix 2-F Hydrograph Well Locations, Hydrographs, and Groundwater Level Trend Statistics
- Appendix 2-G Water Quality Hydrographs
- Appendix 2-H Freshwater Flora and Fauna
- Appendix 2-I Surface Water Depletion and GDE Methodology and Analysis
- Appendix 2-J Tehama Integrated Hydrologic Model Documentation Report
- Appendix 2-K Detailed Water Budget Results
- Appendix 3-A DMS Summary
- Appendix 3-B Groundwater Level Hydrographs, Measurable Objectives (MO) and Minimum Thresholds (MT) of Groundwater Level Sustainability Indicator Wells
- Appendix 3-C Groundwater Quality Sampling Results
- Appendix 3-D InSAR Time-Series Data
- Appendix 3-E Well Impact Analysis
- Appendix 4-A Projects and Management Actions Matrix
- Appendix 4-B Demand Management Resolution
- Appendix 4-C Well Mitigation Resolution

LIST OF ACRONYMS & ABBREVIATIONS

AB	Assembly Bill
af	Acre-feet
AN	Above normal Sacramento Valley water year type
AWMP	Agricultural Water Management Plan
bgs	Below Ground Surface

BMP	Best Management Practice
BN	Below normal Sacramento Valley water year type
C	Critical (dry) Sacramento Valley water year type
CalEPA	California Environmental Protection Agency
CalGEM	California Geologic Energy Management Division
CCR	California Code of Regulations
CDFW	California Department of Fish and Wildlife
CNRA	California Natural Resources Agency
CVP	Central Valley Project
CV-SALTS	Central Valley Salinity Alternatives
CWA	Clean Water Act
CWC	California Water Code
D	Dry Sacramento Valley water year type
DCID	Deer Creek Irrigation District
DDW	Division of Drinking Water
DMS	Data Management System
DO	Dissolve Oxygen
DPR	Department of Pesticide Regulation
DQO	Data Quality Objective
DTSC	Department of Toxic Substance Control
DTW	Depth to Water
DWR	California Department of Water Resources
DWR	Department of Water Resources
EC	Electrical Conductivity
ET	Evapotranspiration
ft/yr	feet per year
FTE	Full Time Equivalent
GAMA	Groundwater Ambient Monitoring and Assessment Program
GDE	Groundwater Dependent Ecosystem
GMP	Groundwater Management Plan
GQTM	Groundwater Quality Trend Monitoring
GSA	Groundwater Sustainability Agency
GSE	Ground Surface Elevation

GSP	Groundwater Sustainability Plan
GWE	Groundwater Elevation
GWMP	Groundwater Management Plan
GWS	Groundwater System
HCM	Hydrogeological Conceptual Model
ILRP	Irrigated Lands Regulatory Program
InSAR	Interferometric Synthetic Aperture Radar
IRWMP	Integrated Regional Water Management Plan
LMMWC	Los Molinos Mutual Water Company
MAs	Management Actions
MCL	Maximum Contaminant Level
Mg/L	Milligrams per Liter
MO	Measurable Objective
MOs	Measurable Objectives
MT	Minimum Threshold
MTs	Minimum Thresholds
NAVD88	North American Vertical Datum of 1988
NDVI	Normalized Difference Vegetation Index
ORP	Oxidation-Reduction Potential
PBO	Plate Boundary Observatory
PMAs	Projects and Management Actions
QA	Quality Assurance
QC	Quality Control
RMS	Representative Monitoring Sites
RP	Reference Point
RPE	Reference Point Elevation
RWQCB	Regional Water Quality Control Board
SB	Senate Bill
SGMA	Sustainable Groundwater Management Act
SMC	Sustainable Management Criteria
SMCL	Secondary Maximum Containment Level
SVRIC	Stanford Vina Ranch Irrigation Company
SWP	State Water Project

SWRCB	State Water Resources Control Board
SWRCB	State Water Resources Control Board
SWS	Surface Water System
TAC	Technical Advisory Committee
taf	Thousand acre-feet
TDS	Total Dissolved Solids
Tehama County FCWCD Tehama County Flood Control and Water Conservation District	
Tehama IHM	Tehama Integrated Hydrologic Model
TNC	The Nature Conservancy
UNAVACO	University NAVSTAR Consortium
USBLM	Bureau of Land Management
USBR	United States Bureau of Reclamation
USEPA	United States Environmental Protection Agency
USFS	United States Forest Service
USFWS	United States Fish and Wildlife Service
USGS	United States Geological Survey
UWMP	Urban Water Management Plan
W	Wet Sacramento Valley water year type
WCR	Well Completion Report
WDR	Waste Discharge Requirements
WMP	Water Management Plan