


Appendix 3-B

Groundwater Level Hydrographs, Measurable Objectives (MO) and Minimum Thresholds (MT) of Groundwater Level Sustainability Indicator Wells

Corning Subbasin – State Well Number (SWN) 21N01W04N001M





Upper Aquifer (Shallow Zone) Well Depth: 100 ft. Perforation top & bottom: Unknown



MO GWE: 116.1 ft amsl
MO DTW: 21.28 ft bgs


MT GWE: 89.3 ft amsl
MT DTW: 48.08 ft bgs

Statistics of spring water levels for past 20 years (2003 to 2023):
Change = 0.2 ft
Average rate of change = 0.01 ft/year
Average water level = 121.12 ft amsl



Corning Subbasin – State Well Number (SWN) 22N01W19E003M




Upper Aquifer (Shallow Zone) Well Depth: 500 ft. Perforation top & bottom: 80 – 400 ft bgs



MO GWE: 128.1 ft amsl
MO DTW: 27.29 ft bgs


MT GWE: 99 ft amsl
MT DTW: 57 ft bgs

Statistics of spring water levels for past 20 years (2003 to 2023):
Change = -2 ft
Average rate of change = -0.1 ft/year
Average water level = 135.6 ft amsl



Corning Subbasin – State Well Number (SWN) 22N01W29N002M





Upper Aquifer (Deep Zone) Well Depth: 670 ft. Perforation top & bottom: 549 – 641 ft bgs



MO GWE: 121.9 ft amsl
 MO DTW: 24.35 ft bgs


MT GWE: 77.2 ft amsl
 MT DTW: 69.05 ft bgs

Statistics of spring water levels for past 13 years (2010 to 2023):
 Change = -6.86 ft
 Average rate of change = -0.53 ft/year
 Average water level = 124.87 ft amsl



Corning Subbasin – State Well Number (SWN) 22N01W29N003M





Upper Aquifer (Shallow Zone) Well Depth: 400 ft. Perforation top & bottom: 189 – 380 ft bgs



MO GWE: 123.4 ft amsl
 MO DTW: 22.85 ft bgs


MT GWE: 91.7 ft amsl
 MT DTW: 54.55 ft bgs

Statistics of spring water levels for past 13 years (2010 to 2023):
 Change = 0.78 ft
 Average rate of change = 0.06 ft/year
 Average water level = 128.17 ft amsl



Corning Subbasin – State Well Number (SWN) 22N02W01N002M





Upper Aquifer (Deep Zone) Well Depth: 730 ft. Perforation top & bottom: 700 – 710 ft bgs



MO GWE: 134.7 ft amsl
MO DTW: 24.51 ft bgs


MT GWE: 74.5 ft amsl
MT DTW: 84.71 ft bgs

Statistics of spring water levels for past 16 years (2007 to 2023):
Change = -15.6 ft
Average rate of change = -0.98 ft/year
Average water level = 140.19 ft amsl



Corning Subbasin – State Well Number (SWN) 22N02W01N003M





Upper Aquifer (Shallow Zone) Well Depth: 440 ft. Perforation top & bottom: 210 – 370 ft bgs



MO GWE: 136.5 ft amsl
MO DTW: 22.71 ft bgs


MT GWE: 99.3 ft amsl
MT DTW: 59.91 ft bgs

Statistics of spring water levels for past 16 years (2007 to 2023):
Change = -3.4 ft
Average rate of change = -0.21 ft/year
Average water level = 141.57 ft amsl



Corning Subbasin – State Well Number (SWN) 22N02W15C002M





Upper Aquifer (Deep Zone) Well Depth: 825 ft. Perforation top & bottom: 760 – 781 ft bgs



MO GWE: 121.6 ft amsl
MO DTW: 67.865 ft bgs


MT GWE: 57.7 ft amsl
MT DTW: 131.765 ft bgs

Statistics of spring water levels for past 20 years (2003 to 2023):
Change = -22.35 ft
Average rate of change = -1.12 ft/year
Average water level = 131.64 ft amsl



Corning Subbasin – State Well Number (SWN) 22N02W15C004M





Upper Aquifer (Shallow Zone) Well Depth: 258 ft. Perforation top & bottom: 210 – 220 ft bgs



MO GWE: 144.1 ft amsl
MO DTW: 45.2 ft bgs


MT GWE: 84 ft amsl
MT DTW: 105.3 ft bgs

Statistics of spring water levels for past 20 years (2003 to 2023):
Change = -17.08 ft
Average rate of change = -0.85 ft/year
Average water level = 152.2 ft amsl



Corning Subbasin – State Well Number (SWN) 22N02W18C001M



Upper Aquifer (Deep Zone) Well Depth: 1062 ft. Perforation top & bottom: 841 – 1029 ft bgs



MO GWE: 90.4 ft amsl
MO DTW: 133.04 ft bgs


MT GWE: 63.5 ft amsl
MT DTW: 159.94 ft bgs

Statistics of spring water levels for past 16 years (2007 to 2023):
Change = -41.4 ft
Average rate of change = -2.59 ft/year
Average water level = 115.94 ft amsl



Corning Subbasin – State Well Number (SWN) 22N02W18C003M




Upper Aquifer (Shallow Zone) Well Depth: 188 ft. Perforation top & bottom: 165 – 175 ft bgs



MO GWE: 148.4 ft amsl
MO DTW: 75.04 ft bgs


MT GWE: 131.6 ft amsl
MT DTW: 91.84 ft bgs

Statistics of spring water levels for past 16 years (2007 to 2023):
Change = -23.68 ft
Average rate of change = -1.48 ft/year
Average water level = 175.8 ft amsl



Corning Subbasin – State Well Number (SWN) 22N03W01R001M





Upper Aquifer (Deep Zone) Well Depth: 515 ft. Perforation top & bottom: 470 – 480 ft bgs



MO GWE: 135.2 ft amsl
MO DTW: 90.84 ft bgs


MT GWE: 116.6 ft amsl
MT DTW: 109.44 ft bgs

Statistics of spring water levels for past 19 years (2004 to 2023):
Change = -46.4 ft
Average rate of change = -2.44 ft/year
Average water level = 171.64 ft amsl



Corning Subbasin – State Well Number (SWN) 22N03W01R002M





Upper Aquifer (Shallow Zone) Well Depth: 314 ft. Perforation top & bottom: 270 – 280 ft bgs



MO GWE: 143.9 ft amsl
MO DTW: 82.14 ft bgs


MT GWE: 123.6 ft amsl
MT DTW: 102.44 ft bgs

Statistics of spring water levels for past 19 years (2004 to 2023):
Change = -37.3 ft
Average rate of change = -1.96 ft/year
Average water level = 175.29 ft amsl



Corning Subbasin – State Well Number (SWN) 22N03W05F002M





Upper Aquifer (Shallow Zone) Well Depth: 218 ft. Perforation top & bottom: 188 – 218 ft bgs



MO GWE: 204.5 ft amsl
MO DTW: 92.99 ft bgs


MT GWE: 177.9 ft amsl
MT DTW: 119.59 ft bgs

Statistics of spring water levels for past 18 years (2003 to 2021):
Change = -25.6 ft
Average rate of change = -1.42 ft/year
Average water level = 224.84 ft amsl



Corning Subbasin – State Well Number (SWN) 22N03W06B001M





Upper Aquifer (Shallow Zone) Well Depth: 210 ft. Perforation top & bottom: 195 – 210 ft bgs



MO GWE: 264.1 ft amsl
 MO DTW: 44.4 ft bgs


MT GWE: 238 ft amsl
 MT DTW: 70.5 ft bgs

Statistics of spring water levels for past 20 years (2003 to 2023):
 Change = -25.3 ft
 Average rate of change = -1.26 ft/year
 Average water level = 266.58 ft amsl



Corning Subbasin – State Well Number (SWN) 22N03W12Q003M





Upper Aquifer (Shallow Zone) Well Depth: 124 ft. Perforation top & bottom: 112 – 123 ft bgs



MO GWE: 174.8 ft amsl
MO DTW: 57.64 ft bgs


MT GWE: 163.2 ft amsl
MT DTW: 69.24 ft bgs

Statistics of spring water levels for past 20 years (2003 to 2023):
Change = -22.9 ft
Average rate of change = -1.15 ft/year
Average water level = 200.25 ft amsl



Corning Subbasin – State Well Number (SWN) 22N04W01A002M




Upper Aquifer (Deep Zone) Well Depth: 550 ft. Perforation top & bottom: 520 – 530 ft bgs



MO GWE: 184 ft amsl
MO DTW: 131 ft bgs


MT GWE: 149.3 ft amsl
MT DTW: 165.7 ft bgs

Sufficient data not available to calculate spring water level statistics for 3 years



Corning Subbasin – State Well Number (SWN) 22N04W01A004M





Upper Aquifer (Shallow Zone) Well Depth: 70 ft. Perforation top & bottom: 40 – 50 ft bgs



MO GWE: 262.8 ft amsl
MO DTW: 52.2 ft bgs


MT GWE: 282 ft amsl
MT DTW: 33 ft bgs

Sufficient data not available to calculate
spring water level statistics for 3 years



Corning Subbasin – State Well Number (SWN) 23N02W16B001M





Upper Aquifer (Shallow Zone) Well Depth: 120 ft. Perforation top & bottom: 100 – 120 ft bgs



MO GWE: 135.3 ft amsl
MO DTW: 49.63 ft bgs


MT GWE: 98.4 ft amsl
MT DTW: 86.53 ft bgs

Statistics of spring water levels for past 20 years (2003 to 2023):
Change = -22.9 ft
Average rate of change = -1.15 ft/year
Average water level = 153.51 ft amsl



Corning Subbasin – State Well Number (SWN) 23N02W28N002M





Upper Aquifer (Deep Zone) Well Depth: 580 ft. Perforation top & bottom: 550 – 570 ft bgs



MO GWE: 133.9 ft amsl
MO DTW: 68.24 ft bgs


MT GWE: 100 ft amsl
MT DTW: 102.14 ft bgs

Statistics of spring water levels for
past 11 years (2012 to 2023):
Change = -18.35 ft
Average rate of change = -1.67 ft/year
Average water level = 139.07 ft amsl



Corning Subbasin – State Well Number (SWN) 23N02W28N004M




Upper Aquifer (Shallow Zone) Well Depth: 205 ft. Perforation top & bottom: 100 – 170 ft bgs



MO GWE: 142.7 ft amsl
MO DTW: 59.44 ft bgs


MT GWE: 104.3 ft amsl
MT DTW: 97.84 ft bgs

Statistics of spring water levels for past 11 years (2012 to 2023):
Change = -22.78 ft
Average rate of change = -2.07 ft/year
Average water level = 154.9 ft amsl



Corning Subbasin – State Well Number (SWN) 23N02W34A003M





Upper Aquifer (Shallow Zone) Well Depth: 125 ft. Perforation top & bottom: 104 – 124 ft bgs



MO GWE: 135.5 ft amsl
MO DTW: 34.91 ft bgs


MT GWE: 109.2 ft amsl
MT DTW: 61.21 ft bgs

Statistics of spring water levels for past 20 years (2003 to 2023):
Change = -9.5 ft
Average rate of change = -0.48 ft/year
Average water level = 148.21 ft amsl



Corning Subbasin – State Well Number (SWN) 23N02W34N001M




Upper Aquifer (Shallow Zone) Well Depth: 100 ft. Perforation top & bottom: 70 – 100 ft bgs



MO GWE: 145.9 ft amsl
 MO DTW: 39.52 ft bgs


MT GWE: 124 ft amsl
 MT DTW: 62 ft bgs

Statistics of spring water levels for past 20 years (2003 to 2023):
 Change = -28.5 ft
 Average rate of change = -1.43 ft/year
 Average water level = 161.34 ft amsl



Corning Subbasin – State Well Number (SWN) 23N03W04H001M





Upper Aquifer (Shallow Zone) Well Depth: 270 ft. Perforation top & bottom: 200 – 260 ft bgs



MO GWE: 194 ft amsl
MO DTW: 67 ft bgs


MT GWE: 195 ft amsl
MT DTW: 66 ft bgs

Statistics of spring water levels for past 5 years (2015 to 2020):
Change = -4.05 ft
Average rate of change = -0.81 ft/year
Average water level = 213.8 ft amsl



Corning Subbasin – State Well Number (SWN) 23N03W07F001M





Upper Aquifer (Deep Zone) Well Depth: 790 ft. Perforation top & bottom: 240 – 790 ft bgs



MO GWE: 209.9 ft amsl
 MO DTW: 102.1 ft bgs


MT GWE: 188.4 ft amsl
 MT DTW: 123.6 ft bgs

Statistics of spring water levels for past 4 years (2019 to 2023):
 Change = -20.5 ft
 Average rate of change = -5.12 ft/year
 Average water level = 210.52 ft amsl



Corning Subbasin – State Well Number (SWN) 23N03W13C004M





Upper Aquifer (Deep Zone) Well Depth: 835 ft. Perforation top & bottom: 815 – 825 ft bgs



MO GWE: 131.1 ft amsl
MO DTW: 82.44 ft bgs


MT GWE: 107.2 ft amsl
MT DTW: 106.34 ft bgs

Statistics of spring water levels for past 15 years (2008 to 2023):
Change = -26.3 ft
Average rate of change = -1.75 ft/year
Average water level = 146.98 ft amsl



Corning Subbasin – State Well Number (SWN) 23N03W13C006M





Upper Aquifer (Shallow Zone) Well Depth: 182 ft. Perforation top & bottom: 95 – 135 ft bgs



MO GWE: 145.6 ft amsl
 MO DTW: 67.94 ft bgs


MT GWE: 123.1 ft amsl
 MT DTW: 90.44 ft bgs

Statistics of spring water levels for past 15 years (2008 to 2023):
 Change = -38.1 ft
 Average rate of change = -2.54 ft/year
 Average water level = 161.87 ft amsl



Corning Subbasin – State Well Number (SWN) 23N03W16H001M





Upper Aquifer (Shallow Zone) Well Depth: 150 ft. Perforation top & bottom: 144 – 150 ft bgs



MO GWE: 193.4 ft amsl
MO DTW: 84.08 ft bgs


MT GWE: 174.3 ft amsl
MT DTW: 103.18 ft bgs

Statistics of spring water levels for past 20 years (2003 to 2023):
Change = -30.9 ft
Average rate of change = -1.54 ft/year
Average water level = 209.96 ft amsl



Corning Subbasin – State Well Number (SWN) 23N03W17R001M




Upper Aquifer (Deep Zone) Well Depth: 720 ft. Perforation top & bottom: 360 – 720 ft bgs



MO GWE: 207.7 ft amsl
MO DTW: 92.3 ft bgs


MT GWE: 187.3 ft amsl
MT DTW: 112.7 ft bgs

Statistics of spring water levels for past 4 years (2019 to 2023):
Change = -18.2 ft
Average rate of change = -4.55 ft/year
Average water level = 208.34 ft amsl



Corning Subbasin – State Well Number (SWN) 23N03W22Q001M





Upper Aquifer (Shallow Zone) Well Depth: 380 ft. Perforation top & bottom: Unknown



MO GWE: 152.7 ft amsl
MO DTW: 81.77 ft bgs


MT GWE: 129.9 ft amsl
MT DTW: 104.57 ft bgs

Statistics of spring water levels for past 20 years (2003 to 2023):
Change = -37.2 ft
Average rate of change = -1.86 ft/year
Average water level = 183.01 ft amsl



Corning Subbasin – State Well Number (SWN) 23N03W24A003M





Upper Aquifer (Shallow Zone) Well Depth: 199 ft. Perforation top & bottom: 180 – 199 ft bgs



MO GWE: 137.4 ft amsl
MO DTW: 69.04 ft bgs


MT GWE: 118.6 ft amsl
MT DTW: 87.84 ft bgs

Statistics of spring water levels for past 20 years (2003 to 2023):
Change = -34.3 ft
Average rate of change = -1.72 ft/year
Average water level = 163.1 ft amsl



Corning Subbasin – State Well Number (SWN) 23N03W25M002M





Upper Aquifer (Deep Zone) Well Depth: 513 ft. Perforation top & bottom: 470 – 500 ft bgs



MO GWE: 151.5 ft amsl
MO DTW: 84.12 ft bgs


MT GWE: 111.6 ft amsl
MT DTW: 124.02 ft bgs

Statistics of spring water levels for past 11 years (2012 to 2023):
Change = -38.12 ft
Average rate of change = -3.47 ft/year
Average water level = 160.21 ft amsl



Corning Subbasin – State Well Number (SWN) 23N03W25M004M





Upper Aquifer (Shallow Zone) Well Depth: 155 ft. Perforation top & bottom: 120 – 130 ft bgs



MO GWE: 150.3 ft amsl
 MO DTW: 85.32 ft bgs


MT GWE: 122.7 ft amsl
 MT DTW: 112.92 ft bgs

Statistics of spring water levels for past 11 years (2012 to 2023):
 Change = -31.01 ft
 Average rate of change = -2.82 ft/year
 Average water level = 161.36 ft amsl



Corning Subbasin – State Well Number (SWN) 23N04W13G001M





Upper Aquifer (Deep Zone) Well Depth: 560 ft. Perforation top & bottom: Unknown



MO GWE: 198.6 ft amsl
 MO DTW: 161.91 ft bgs


MT GWE: 161 ft amsl
 MT DTW: 200 ft bgs

Statistics of spring water levels for past 20 years (2003 to 2023):
 Change = -19.61 ft
 Average rate of change = -0.98 ft/year
 Average water level = 221.61 ft amsl



Corning Subbasin – State Well Number (SWN) 24N02W17A001M



Upper Aquifer (Shallow Zone) Well Depth: 140 ft. Perforation top & bottom: 120 – 140 ft bgs



MO GWE: 170.9 ft amsl
MO DTW: 40.1 ft bgs


MT GWE: 150.9 ft amsl
MT DTW: 60.1 ft bgs

Statistics of spring water levels for past 4 years (2019 to 2023):
Change = -2.9 ft
Average rate of change = -0.73 ft/year
Average water level = 177.83 ft amsl



Corning Subbasin – State Well Number (SWN) 24N02W20B001M




Upper Aquifer (Shallow Zone) Well Depth: 120 ft. Perforation top & bottom: 100 – 120 ft bgs



MO GWE: 173.4 ft amsl
MO DTW: 49.03 ft bgs


MT GWE: 150.3 ft amsl
MT DTW: 72.13 ft bgs

Statistics of spring water levels for past 14 years (2003 to 2017):
Change = -1.2 ft
Average rate of change = -0.09 ft/year
Average water level = 179.64 ft amsl



Corning Subbasin – State Well Number (SWN) 24N02W29N003M





Upper Aquifer (Shallow Zone) Well Depth: 388 ft. Perforation top & bottom: 200 – 290 ft bgs



MO GWE: 158.1 ft amsl
 MO DTW: 54.36 ft bgs


MT GWE: 123.2 ft amsl
 MT DTW: 89.26 ft bgs

Statistics of spring water levels for
 past 18 years (2005 to 2023):
 Change = -22.82 ft
 Average rate of change = -1.27 ft/year
 Average water level = 172.31 ft amsl



Corning Subbasin – State Well Number (SWN) 24N02W29N004M





Upper Aquifer (Deep Zone) Well Depth: 741 ft. Perforation top & bottom: 590 – 710 ft bgs



MO GWE: 155.5 ft amsl
 MO DTW: 56.95 ft bgs


MT GWE: 124.9 ft amsl
 MT DTW: 87.55 ft bgs

Statistics of spring water levels for past 18 years (2005 to 2023):
 Change = -25.8 ft
 Average rate of change = -1.43 ft/year
 Average water level = 172.95 ft amsl



Corning Subbasin – State Well Number (SWN) 24N03W02R001M




Upper Aquifer (Shallow Zone) Well Depth: 270 ft. Perforation top & bottom: Unknown



MO GWE: 188.6 ft amsl
 MO DTW: 68.85 ft bgs


MT GWE: 176 ft amsl
 MT DTW: 81 ft bgs

Statistics of spring water levels for past 20 years (2003 to 2023):
 Change = -43.6 ft
 Average rate of change = -2.18 ft/year
 Average water level = 234.59 ft amsl



Corning Subbasin – State Well Number (SWN) 24N03W03R002M




Upper Aquifer (Shallow Zone) Well Depth: 132 ft. Perforation top & bottom: 112 – 132 ft bgs



MO GWE: 207.3 ft amsl
MO DTW: 71.16 ft bgs


MT GWE: 192.8 ft amsl
MT DTW: 85.66 ft bgs

Statistics of spring water levels for past 20 years (2003 to 2023):
Change = -43.3 ft
Average rate of change = -2.16 ft/year
Average water level = 238.49 ft amsl



Corning Subbasin – State Well Number (SWN) 24N03W14B001M





Upper Aquifer (Shallow Zone) Well Depth: 140 ft. Perforation top & bottom: 130 – 140 ft bgs



MO GWE: 195.3 ft amsl
MO DTW: 97.15 ft bgs


MT GWE: 190 ft amsl
MT DTW: 103 ft bgs

Statistics of spring water levels for past 19 years (2003 to 2022):
Change = -45.4 ft
Average rate of change = -2.39 ft/year
Average water level = 229.3 ft amsl



Corning Subbasin – State Well Number (SWN) 24N03W16A001M





Upper Aquifer (Shallow Zone) Well Depth: 195 ft. Perforation top & bottom: 85 – 195 ft bgs



MO GWE: 200.7 ft amsl
 MO DTW: 90.27 ft bgs


MT GWE: 182.6 ft amsl
 MT DTW: 108.37 ft bgs

Statistics of spring water levels for past 20 years (2003 to 2023):
 Change = -46.7 ft
 Average rate of change = -2.33 ft/year
 Average water level = 247.58 ft amsl



Corning Subbasin – State Well Number (SWN) 24N03W17M001M





Upper Aquifer (Shallow Zone) Well Depth: 108 ft. Perforation top & bottom: 100 – 108 ft bgs



MO GWE: 216.3 ft amsl
MO DTW: 99.18 ft bgs


MT GWE: 219 ft amsl
MT DTW: 97 ft bgs

Statistics of spring water levels for past 18 years (2003 to 2021):
Change = -35.8 ft
Average rate of change = -1.99 ft/year
Average water level = 257.42 ft amsl



Corning Subbasin – State Well Number (SWN) 24N03W17M002M





Upper Aquifer (Deep Zone) Well Depth: 505 ft. Perforation top & bottom: 315 – 495 ft bgs



MO GWE: 196.8 ft amsl
MO DTW: 118.7 ft bgs


MT GWE: 172.8 ft amsl
MT DTW: 142.7 ft bgs

Statistics of spring water levels for past 8 years (2015 to 2023):
Change = -17.3 ft
Average rate of change = -2.16 ft/year
Average water level = 221.6 ft amsl



Corning Subbasin – State Well Number (SWN) 24N03W24E001M





Upper Aquifer (Shallow Zone) Well Depth: 224 ft. Perforation top & bottom: 212 – 220 ft bgs



MO GWE: 169.2 ft amsl
 MO DTW: 128.25 ft bgs


MT GWE: 148 ft amsl
 MT DTW: 150 ft bgs

Statistics of spring water levels for past 13 years (2010 to 2023):
 Change = -35.9 ft
 Average rate of change = -2.76 ft/year
 Average water level = 194.89 ft amsl



Corning Subbasin – State Well Number (SWN) 24N03W26K001M





Upper Aquifer (Shallow Zone) Well Depth: 245 ft. Perforation top & bottom: 103 – 175 ft bgs



MO GWE: 191.1 ft amsl
MO DTW: 91.36 ft bgs


MT GWE: 174 ft amsl
MT DTW: 108 ft bgs

Statistics of spring water levels for past 20 years (2003 to 2023):
Change = -37.7 ft
Average rate of change = -1.88 ft/year
Average water level = 234.89 ft amsl



Corning Subbasin – State Well Number (SWN) 24N03W29Q001M





Upper Aquifer (Shallow Zone) Well Depth: 372 ft. Perforation top & bottom: 130 – 360 ft bgs



MO GWE: 211.6 ft amsl
MO DTW: 102.58 ft bgs


MT GWE: 188 ft amsl
MT DTW: 126 ft bgs

Statistics of spring water levels for past 18 years (2005 to 2023):
Change = -44.12 ft
Average rate of change = -2.45 ft/year
Average water level = 229.38 ft amsl



Corning Subbasin – State Well Number (SWN) 24N03W29Q002M





Upper Aquifer (Deep Zone) Well Depth: 575 ft. Perforation top & bottom: 490 – 550 ft bgs



MO GWE: 212.6 ft amsl
MO DTW: 101.66 ft bgs


MT GWE: 174.9 ft amsl
MT DTW: 139.36 ft bgs

Statistics of spring water levels for past 18 years (2005 to 2023):
Change = -47.97 ft
Average rate of change = -2.66 ft/year
Average water level = 235.56 ft amsl



Corning Subbasin – State Well Number (SWN) 24N03W35P005M




Upper Aquifer (Shallow Zone) Well Depth: 120 ft. Perforation top & bottom: 100 – 120 ft bgs



MO GWE: 192 ft amsl
MO DTW: 57.46 ft bgs


MT GWE: 180.1 ft amsl
MT DTW: 69.36 ft bgs

Statistics of spring water levels for
past 20 years (2003 to 2023):
Change = -35.85 ft
Average rate of change = -1.79 ft/year
Average water level = 218.98 ft amsl



Corning Subbasin – State Well Number (SWN) 24N04W14N002M




Upper Aquifer (Shallow Zone) Well Depth: 180 ft. Perforation top & bottom: Unknown



MO GWE: 247.4 ft amsl
MO DTW: 127.62 ft bgs


MT GWE: 227 ft amsl
MT DTW: 148 ft bgs

Statistics of spring water levels for past 20 years (2003 to 2023):
Change = -51.3 ft
Average rate of change = -2.56 ft/year
Average water level = 303.41 ft amsl



Corning Subbasin – State Well Number (SWN) 24N04W33P001M





Upper Aquifer (Deep Zone) Well Depth: 780 ft. Perforation top & bottom: 250 – 780 ft bgs



MO GWE: 240 ft amsl
MO DTW: 183.56 ft bgs


MT GWE: 183.5 ft amsl
MT DTW: 240.06 ft bgs

Statistics of spring water levels for past 18 years (2003 to 2021):
Change = -52.9 ft
Average rate of change = -2.94 ft/year
Average water level = 273.98 ft amsl



Corning Subbasin – State Well Number (SWN) 24N04W34K001M





Upper Aquifer (Deep Zone) Well Depth: 750 ft. Perforation top & bottom: 310 – 750 ft bgs



MO GWE: 223.9 ft amsl
 MO DTW: 196.1 ft bgs


MT GWE: 184.4 ft amsl
 MT DTW: 235.6 ft bgs

Sufficient data not available to calculate spring water level statistics for 3 years



Corning Subbasin – State Well Number (SWN) 24N04W34P001M





Upper Aquifer (Deep Zone) Well Depth: 535 ft. Perforation top & bottom: 290 – 475 ft bgs



MO GWE: 214.3 ft amsl
 MO DTW: 224.7 ft bgs


MT GWE: 183.5 ft amsl
 MT DTW: 255.5 ft bgs

Sufficient data not available to calculate
 spring water level statistics for 3 years



Corning Subbasin – State Well Number (SWN) 24N04W36G001M





Upper Aquifer (Deep Zone) Well Depth: 750 ft. Perforation top & bottom: 320 – 750 ft bgs



MO GWE: 214.4 ft amsl
 MO DTW: 145.6 ft bgs


MT GWE: 183.2 ft amsl
 MT DTW: 176.8 ft bgs

Sufficient data not available to calculate
 spring water level statistics for 3 years



Corning Subbasin – State Well Number (SWN) 24N05W23L001M




Upper Aquifer (Shallow Zone) Well Depth: 235 ft. Perforation top & bottom: Unknown



MO GWE: 345.8 ft amsl
MO DTW: 184.2 ft bgs


MT GWE: 326 ft amsl
MT DTW: 204 ft bgs

Statistics of spring water levels for past 3 years (2020 to 2023):
Change = -3.4 ft
Average rate of change = -1.13 ft/year
Average water level = 359.13 ft amsl



Corning Subbasin – State Well Number (SWN) 25N02W31G002M





Upper Aquifer (Shallow Zone) Well Depth: 115 ft. Perforation top & bottom: 93 – 113 ft bgs



MO GWE: 191.4 ft amsl
MO DTW: 31.6 ft bgs


MT GWE: 169.3 ft amsl
MT DTW: 53.7 ft bgs

Statistics of spring water levels for past 10 years (2013 to 2023):
Change = 1.3 ft
Average rate of change = 0.13 ft/year
Average water level = 196.54 ft amsl



Corning Subbasin – State Well Number (SWN) 25N03W36H001M

Upper Aquifer (Deep Zone) Well Depth: 524 ft. Perforation top & bottom: Unknown



MO GWE: 183.3 ft amsl
 MO DTW: 56.7 ft bgs

MT GWE: 160.9 ft amsl
 MT DTW: 79.1 ft bgs

Statistics of spring water levels for past 8 years (2015 to 2023):
 Change = 3 ft
 Average rate of change = 0.38 ft/year
 Average water level = 193.35 ft amsl

